

MPM2-10B

Products Low Voltage Products and Systems
Range

Control Products

Pilot Devices

Pilot Devices - Modular


General Information

Extended Product Type:	MPM2-10B
Product ID:	1SFA611125R1006
EAN:	7320500275788
Catalog Description:	MPM2-10B Mushroom pushbutton
Long Description:	Modular Mushroom pushbutton - Momentary - Mushroom 60mm - Black - Non-illuminated - Black plastic - No contact block

Additional Information

ABB Industrial IT Suite:	Control IT
Actuator Type:	Mushroom 60mm
Ambient Air Temperature:	Storage -30 ... +85 °C Operation -25 ... +70 °C
Block:	No contact block
Color:	Black
Country of Origin:	Sweden (SE)
Customs Tariff Number:	85369001
Data Sheet, Technical Information:	1SFC151003C0201
Declaration of Conformity - CE:	1SFA1-83
Degree of Protection:	Front IP66 Terminals IP20
E-nummer:	3716507
EAN:	7320500275788
ETIM 4:	EC002024 - Accessories for control circuit devices
ETIM 5:	EC001038 - Front element for mushroom push-button
ETIM 6:	EC001038 - Front element for mushroom push-button
Environmental Information:	1SFC151010D0201
Function:	Momentary
IIT Publishing Status:	Level 0 - Information enabled
Illumination:	Non-illuminated
Industrial IT Certification Level:	0
Instructions and Manuals:	1SFC151003C0201
Invoice Description:	MUSHROOM PUSHB#MPM2-10B
Mechanical Durability:	2 million
Minimum Order Quantity:	10 piece
Object Classification Code:	S
Package Level 1 EAN:	7320500275788
Package Level 1 Gross Weight:	0.028 kg
Package Level 1 Height:	0.06 m
Package Level 1 Length:	0.15 m
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.11 m
Product Main Type:	MPM2
Product Name:	Mushroom pushbutton
Product Net Depth:	0.050 m
Product Net Height:	0.060 m
Product Net Weight:	0.028 kg

Product Net Width:	0.060 m
Product Range:	Modular
Product Type:	MPM
RoHS Date:	0635 4
RoHS Information:	1SFC151011D0203
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	Black Modular Mushroom pushbutton
UNSPSC:	39121512
Hole Diameter:	22 mm



MPET4-10R

General Information

Extended Product Type:	MPET4-10R
Product ID:	1SFA611523R1001
EAN:	7320500372548
Catalog Description:	MPET4-10R Emergency Stop
Long Description:	Modular Emergency Stop - Twist release - Mushroom 40mm - Red - Non-illuminated - - No contact block

Categories

Products » Low Voltage Products and Systems » Control Products » Pilot Devices » Pilot Devices - Modular Range

Ordering

EAN:	7320500372548
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369001

Dimensions

Product Net Width:	0.040 m
Product Net Height:	0.040 m
Product Net Depth:	0.068 m
Product Net Weight:	0.036 kg

Container Information

Package Level 1 Width:	0.11 m
Package Level 1 Height:	0.04 m
Package Level 1 Length:	0.15 m
Package Level 1 Gross Weight:	0.036 kg

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

Additional Information

Actuator Type:	Mushroom 40mm
Bezel Material:	n/a
Block:	No contact block
Color:	Red
Degree of Protection:	Front IP66 Terminals IP20
Function:	Twist release
Illumination:	Non-illuminated
Product Main Type:	MPET4
Product Name:	Emergency Stop
Product Range:	Modular
Product Type:	MPET
RoHS Date:	0635 4

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	1SFA1-82
Environmental Information:	1SFC151010D0201
Instructions and Manuals:	1SFC151003C0201

RoHS Information: 1SFC151011D0203

Data Sheet, Technical Information: 1SFC151003C0201

Classifications

E-nummer: 3705076

ETIM 4: EC002024 - Accessories for control circuit devices

ETIM 5: EC001038 - Front element for mushroom push-button

ETIM 6: EC001038 - Front element for mushroom push-button

Object Classification Code: S

UNSPSC: 39121500



MCBH-00

General Information

Extended Product Type:	MCBH-00
Product ID:	1SFA611605R1100
EAN:	7320500307465
Catalog Description:	MCBH-00 Contact block holder
Long Description:	Modular holder

Categories

Products » Low Voltage Products and Systems » Control Products » Pilot Devices » Pilot Devices - Modular Range

Parts & Services » Drives » Medium voltage AC drives » Industrial drives » ACS2000

Parts & Services » Drives » Medium voltage AC drives » Special purpose drives » ACS5000 Parts

& Services » Robotics » Robots » Articulated Robots » IRB 140 » IRB 140

Parts & Services » Robotics » Robots » Articulated Robots » IRB 1400 » IRB 1400-5/1,44 Parts

& Services » Robotics » Robots » Parallel Robots » IRB 340

Parts & Services » Robotics » Robots » Parallel Robots » IRB 360 » IRB 360

Ordering

Core Credit:	0.00
Country of Origin:	Sweden (SE)
Customs Tariff Number:	85369001
EAN:	7320500307465
Invoice Description:	HOLDER#MCBH-00
Made To Order:	No
Minimum Order Quantity:	10 piece
Part Type:	New
Quote Only:	Yes
Selling Unit of Measure:	piece
Stocked At (Warehouses):	Central Stock Europe

Dimensions

Product Net Height:	0.013 m
Product Net Weight:	0.01 kg
Product Net Width:	0.048 m

Technical

Technical Information:	HOLDER
-------------------------------	--------


Additional Information

Accessory Type:	Contact blocks and holders
Product Main Type:	MCBH
Product Name:	Contact block holder
Short Description:	HOLDER#MCBH-00

Where Used (as a spare part for "Products")

Identifier	Qty	Unit Of Measure	Description
3HAC020536-001	1	piece	IRB 140
3HAC020536-015	1	piece	IRB 360
ACS 2000	1	piece	No Description Available

Identifier	Qty	Unit Of Measure	Description
ACS 5000 Water Cooled	1	piece	No Description Available
IRB 1400 M2004	1	piece	No Description Available
IRB 340 M2004	piece	1	No Description Available



MCB-10

General Information

Extended Product Type:	MCB-10
Product ID:	1SFA611610R1001
EAN:	7320500307748
Catalog Description:	MCB-10 Contact block
Long Description:	Modular contact block

Categories

Products » Low Voltage Products and Systems » Control Products » Pilot Devices » Pilot Devices - Modular Range

Parts & Services » Drives » Medium voltage AC drives » Industrial drives » ACS2000

Parts & Services » Drives » Medium voltage AC drives » Special purpose drives » ACS5000

Parts & Services » Low Voltage Products and Systems » Control Products » Arc Guard Systems » Service » Spares and Consumables

Parts & Services » Motors and Generators

Parts & Services » Robotics » Service » Spares and Consumables

Ordering

EAN:	7320500307748
Minimum Order Quantity:	10 piece
Customs Tariff Number:	85369001

Dimensions

Product Net Width:	0.044 m
Product Net Height:	0.010 m
Product Net Depth:	0.028 m
Product Net Weight:	0.013 kg

Container Information

Package Level 1 Units:	10 piece
Package Level 1 Width:	0.11 m
Package Level 1 Height:	0.01 m
Package Level 1 Length:	0.15 m
Package Level 1 Gross Weight:	0.013 kg

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

Additional Information

Accessory Type:	Contact blocks and holders
Block:	Single contact block
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
Function:	Without holder
IIT Publishing Status:	Level 0 - Information enabled
Illumination:	Non-illuminated
Mechanical Durability:	10 million
Mounting Type:	Front mounting
Number of Auxiliary Contacts NO:	1
Product Main Type:	MCB

Product Name:	Contact block
Product Range:	Modular range
Product Type:	MCB
Rated Frequency (f):	Supply Circuit 50 Hz Supply Circuit 60 Hz
Rated Operational Current AC-15 (230 V AC) 6 A (I_e):	
Rated Operational Current DC-13(24 V) 5 A (I_e):	(125 V) 1.1 A
RoHS Date:	0635 4
Suitable For:	MP1 MP2 MP3 MP4 MPD1 MPD2 MPD3 MPD4 MPD5 MPD11 MPD12 MPD13 MPD14 MPD15 MPD16 MPM1 MPM2 KP6 MPET3 MPEP3 MPEK3 MPET4 MPEP4 MPEK4 MPMT3 MPMT4 MPMP3 MPMP4 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 M2SS6 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS6 M3SS7 M3SS8 M3SSC1 M3SSC2 M3SSC3 M3SSC4

M3SSC5
M3SSC6
M3SSC7
M3SSC8
M2SSK1
M2SSK2
M2SSK3
M3SSK1
M3SSK2
M3SSK3
MTS1
MTS2
MTS3
MJS1
MJS2
MJS5
MJS6
MJS7
MJS8
MJS11
MJS12

Technical Information: CONTACT BLOCK

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SFA1-83

Environmental Information: 1SFC151010D0201

Instructions and Manuals: 1SFC151003C0201

RoHS Information: 1SFC151011D0203

Data Sheet, Technical Information: 1SFC151003C0201

Classifications

E-nummer: 3714005

ETIM 4: EC002024 - Accessories for control circuit devices

ETIM 5: EC000041 - Auxiliary contact block

ETIM 6: EC000041 - Auxiliary contact block

Object Classification Code: S

UNSPSC: 39121500

Where Used (as a spare part for "Products")

Identifier	Qty	Unit Of Measure	Description
ACS 2000	1	piece	No Description Available
ACS 5000 Water Cooled	1	piece	No Description Available



MCB-01

Products Low Voltage Products and Systems
Range

Control Products

Pilot Devices

Pilot Devices - Modular

Parts & Services

Drives

Medium voltage AC drives Special purpose drives

ACS5000

General Information

Extended Product Type:	MCB-01
Product ID:	1SFA611610R1010
EAN:	7320500307762
Catalog Description:	MCB-01 Contact block
Long Description:	Modular contact block

Additional Information

ABB Industrial IT Suite:	Control IT
Accessory Type:	Contact blocks and holders
Block:	Single contact block
Core Credit:	0.00
Country of Origin:	Sweden (SE)
Customs Tariff Number:	85369001
Data Sheet, Technical Information:	1SFC151003C0201
Declaration of Conformity - CE:	1SFA1-83
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
E-nummer:	3714006
EAN:	7320500307762
ETIM 4:	EC002024 - Accessories for control circuit devices
ETIM 5:	EC000041 - Auxiliary contact block
ETIM 6:	EC000041 - Auxiliary contact block
Environmental Information:	1SFC151010D0201
Function:	Without holder
IIT Publishing Status:	Level 0 - Information enabled
Illumination:	Non-illuminated
Industrial IT Certification Level:	0
Instructions and Manuals:	1SFC151003C0201
Invoice Description:	CONTACT BLOCK#MCB-01
Mechanical Durability:	10 million
Minimum Order Quantity:	10 piece
Mounting Positions:	Front mounting
Mounting Type:	Front mounting
Number of Auxiliary Contacts NC:	1
Object Classification Code:	S
Package Level 1 Gross Weight:	0.04 kg
Package Level 1 Height:	0.01 m
Package Level 1 Length:	0.15 m
Package Level 1 Units:	10 piece
Package Level 1 Width:	0.11 m
Part Type:	New
Product Main Type:	MCB
Product Name:	Contact block
Product Net Depth:	0.028 m

Product Net Height:	0.010 m
Product Net Weight:	0.04 kg
Product Net Width:	0.044 m
Product Range:	Modular range
Product Type:	MCB
Rated Frequency (f):	Supply Circuit 60 Hz Supply Circuit 50 Hz
Rated Operational Current AC-15 (I_e):	(230 V AC) 6 A
Rated Operational Current DC-13 (I_e):	(24 V) 5 A (125 V) 1.1 A
RoHS Date:	0635 4
RoHS Information:	1SFC151011D0203
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	CONTACT BLOCK#MCB-01
Suitable For:	MP1 MP2 MP3 MP4 MPD1 MPD2 MPD3 MPD4 MPD5 MPD11 MPD12 MPD13 MPD14 MPD15 MPD16 MPM1 MPM2 KP6 MPET3 MPEP3 MPEK3 MPET4 MPEP4 MPEK4 MPMT3 MPMT4 MPMP3 MPMP4 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 M2SS6 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS6 M3SS7 M3SS8 M3SSC1 M3SSC2 M3SSC3 M3SSC4

